

SPECIALTY SOLUTIONS

PrestigeGuard™ Door System

Solutions for securing
merchandise in the
ultimate setting.



www.bofcorp.com

CABERNET

NEW WORLD

OLD WORLD

OLD WORLD

BORDEAUX



PrestigeGuard™ Door System

THE PERFECT SOLUTION FOR
SECURING HIGH COST MERCHANDISE
WHILE HAVING THE ULTIMATE
MERCHANDISING DOOR SYSTEM

High theft merchandise needs to be stored under lock and key, but also needs to have the ultimate in visual impact to maximize sales opportunities.

Maximize security of merchandise

Designed to ensure the ultimate in security with a 3-point locking system, finger tip handles, concealed hinging system, steel cabinet, and 360 degree overlap on each door.

Enhance the shopping experience

Door mullion LED lighting will maximize product display and enhance the shopping experience.

Multi-purpose design

Designed to fit with any existing cabinets or for new construction, the frames are designed for ease of installation and the doors are designed to prevent the most clever of thieves.



Prevent smash and grab theft and maximize merchandising today.

Specifications

Door and Frame Color	Dark Bronze
Door height	79" net opening
Door width	30"
Doors	1/2" thick scratch & chemically resistant polycarbonate
Handle	Finger tip pulls
Locks	"Best" locking system with 3-point engagement on each door (Lock cores and keys are options below)
Hinges	Concealed - 3 per door
Door mullion LED lighting	4000k

Options

Door colors	Available by PMS color
Door height	Custom sizes available
Door width	Custom sizes available
Lock Cores & Two (2) keys per set of doors	7 Pin Core, Keyed Alike, Keyed Different, or Multiple locks keyed to a system
LED lighting	2700k, 3500k, 5000k

Deducts

No door mullion LED lighting	
------------------------------	--

# of Doors	# of Frames	Frame Configuration	Catalog size door 30" - width in feet	Opening Height
1	1	L or R	2ft 5¼"	79"
2	1	L/R	5ft	79"
3	2	L/R/R	7ft 7"	79"
4	2	L/R/L/R	10ft 1½"	79"
5	3	L/R/L/R/R	12ft 8¼"	79"
6	3	L/R/L/R/L/R	15ft 3"	79"
7	4	L/R/L/R/L/R/R	17ft 9¾"	79"
8	4	L/R/L/R/L/R/L/R	20ft 4½"	79"
9	5	L/R/L/R/L/R/L/R/R	22ft 11¼"	79"
10	5	L/R/L/R/L/R/L/R/L/R	25ft 6"	79"
11	6	L/R/L/R/L/R/L/R/L/R/R	28ft ¾"	79"
12	6	L/R/L/R/L/R/L/R/L/R/L/R	30ft 7½"	79"
13	7	L/R/L/R/L/R/L/R/L/R/L/R/R	33ft 2½"	79"
14	7	L/R/L/R/L/R/L/R/L/R/L/R/L/R	35ft 9"	79"
15	8	L/R/L/R/L/R/L/R/L/R/L/R/L/R/R	38ft 3¾"	79"
16	8	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R	40ft 10½"	79"
17	9	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/R	43ft 5¼"	79"
18	9	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R	46ft	79"
19	10	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/R	48ft 6¾"	79"
20	10	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R	51ft 1½"	79"

SPECIALTY SOLUTIONS PrestigeGuard™ Door System

Contact us to learn more.

Let us develop a solution to handle
your unique merchandising or
material handling challenge today.

Phone: +1 800 323 2517

Fax: +1 630 585 0450



4/2025

www.bofcorp.com

