

# PrestigeGuard Door System

THE PERFECT SOLUTION FOR
SECURING HIGH COST MERCHANDISE
WHILE HAVING THE ULTIMATE
MERCHANDISING DOOR SYSTEM

High theft merchandise needs to be stored under lock and key, but also needs to have the ultimate in visual impact to maximize sales opportunities.

### **Maximize security of merchandise**

Designed to ensure the ultimate in security with a 3-point locking system, fingertip handles, concealed hinging system, steel cabinet, and 360-degree overlap on each door.

# **Enhance the shopping experience**

Back-lit rear LED panel and door mullion LED lighting will maximize product display and enhance the shopping experience.

## Multi-purpose design

Designed with 1" increments of adjustable shelving to allow for any type or size of merchandise.

Prevent smash and grab theft and maximize merchandising today.





OLD WORLD

OLD WORLD

Specifications		
Door and Frame Color	Dark Bronze	
Door height	79" net opening	
Door width	30"	
Doors	1/2" thick scratch & chemically	
	resistant polycorbonate	
Handle	Finger tip pulls	
Locks	"Best" locking system with 3-point	
	engagement on each door	
	(Lock cores and keys are options below)	
Hinges	Concealed - 3 per door	
Door mullion LED lighting	4000k	
Options		
Door colors	Available by PMS color	
Door height	Custom sizes available	

Options	
Door colors	Available by PMS color
Door height	Custom sizes available
Door width	Custom sizes available
Lock Cores & Two (2) keys	7 Pin Core, Keyed Alike, Keyed Different,
per set of doors	or Multiple locks keyed to a system
LED lighting	2700k, 3500k, 5000k

### Deducts

No door mullion LED lighting

of oors	# of Frames	Frame Configuration	Catalog size door 30"- width in feet	Opening Height
1	1	LorR	2ft 5¼"	79"
2	1	L/R	5ft	79"
3	2	L/R/R	7ft 7"	79"
1	2	L/R/L/R	10ft 1½"	79"
5	3	L/R/L/R/R	12ft 81/4"	79"
ŝ	3	L/R/L/R/L/R	15ft 3"	79"
7	4	L/R/L/R/L/R/R	17ft 9¾"	79"
3	4	L/R/L/R/L/R/L/R	20ft 4½"	79"
9	5	L/R/L/R/L/R/L/R/R	22ft 11¼"	79"
10	5	L/R/L/R/L/R/L/R	25ft 6"	79"
11	6	L/R/L/R/L/R/L/R/R	28ft ¾"	79"
12	6	L/R/L/R/L/R/L/R/L/R	30ft 7½"	79"
13	7	L/R/L/R/L/R/L/R/L/R/R	33ft 2½"	79"
14	7	L/R/L/R/L/R/L/R/L/R/L/R	35ft 9"	79"
15	8	L/R/L/R/L/R/L/R/L/R/L/R/R	38ft <b>3</b> ¾"	79"
16	8	L/R/L/R/L/R/L/R/L/R/L/R/L/R	40ft 10½"	79"
17	9	L/R/L/R/L/R/L/R/L/R/L/R/L/R/R	43ft 51/4"	79"
18	9	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R	46ft	79"
L9	10	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/R	48ft 6¾"	79"
20	10	L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R/L/R	51ft 1½"	79"







www.bofcorp.com